



outlets, spouts and attachments

QUALITY, PERFORMANCE AND DURABILITY
WATER EFFICIENCY AND CUSTOM SIZING

**ENWARE**
installing**confidence**

Delivering water that works for life


Premium quality outlets designed and manufactured to provide superior performance and durability with a wide range of attachments to meet your application needs. Streamline Cache and Classic ranges combine function with style to create visually appealing yet durable outlets. Manufactured from DR (Dezincification Resistant) Brass with a high quality chrome finish for extra durability and a longer life. **Enware also manufacture spouts to order contact us to discuss a solution to fit your specific needs.**

streamline cache outlet range

CACHE BENCH MOUNTED BASIN | BATH | SINK

CACHE CURVED BASIN SPOUT


| | A | B | C |
|-----------------------------|-----|-----|-----|
| SPC001 Fixed Outlet | 115 | 100 | 175 |
| SPC002 Swivel Outlet | 115 | 120 | 195 |
| SPC005 Fixed Outlet | 155 | 98 | 190 |



CACHE WALL MOUNTED BASIN | BATH | SINK


CACHE WALL STANDARD SWIVEL SPOUT

| | A | B | C |
|-------------------|-----|-----|-----|
| SPC110 | 220 | 95 | 175 |
| SPC111 | 270 | 135 | 215 |
| SPC112 | 340 | 160 | 235 |
| Restricted Swivel | | | |
| SPC110R | 220 | 95 | 175 |
| SPC111R | 270 | 135 | 215 |




CACHE HOB STANDARD SWIVEL SPOUT

| | A | B | C |
|-------------------|-----|-----|-----|
| SPC010 | 180 | 100 | 185 |
| SPC011 | 230 | 145 | 225 |
| SPC012 | 300 | 165 | 245 |
| Restricted Swivel | | | |
| SPC011R | 230 | 145 | 225 |




CACHE WALL CURVED SWIVEL SPOUT

| | A | B | C |
|-------------------|-----|-----|-----|
| SPC120 | 190 | 145 | 255 |
| SPC121 | 190 | 225 | 340 |
| SPC126 | 240 | 115 | 260 |
| Restricted Swivel | | | |
| SPC120R | 190 | 145 | 255 |
| SPC126R | 240 | 115 | 260 |




CACHE HOB CURVED SWIVEL SPOUT

| | A | B | C |
|-------------------|-----|-----|-----|
| SPC020 | 150 | 150 | 265 |
| SPC021 | 150 | 235 | 350 |
| SPC026 | 200 | 125 | 260 |
| Restricted Swivel | | | |
| SPC020R | 150 | 150 | 265 |
| SPC026R | 200 | 125 | 260 |




CACHE WALL SQUARE SWIVEL SPOUT

| | A | B | C |
|-------------------|-----|-----|-----|
| SPC140 | 190 | 135 | 250 |
| Restricted Swivel | | | |
| SPC140R | 190 | 135 | 250 |




CACHE HOB SQUARE SWIVEL SPOUT

| | A | B | C |
|-------------------|-----|-----|-----|
| SPC040 | 155 | 145 | 260 |
| Restricted Swivel | | | |
| SPC040R | 155 | 145 | 260 |




CACHE WALL ANGULAR SWIVEL SPOUT

| | A | B | C |
|-------------------|-----|-----|-----|
| SPC130 | 195 | 135 | 255 |
| Restricted Swivel | | | |
| SPC130R | 195 | 135 | 255 |




CACHE HOB ANGULAR SWIVEL SPOUT

| | A | B | C |
|-------------------|-----|-----|-----|
| SPC030 | 150 | 145 | 260 |
| Restricted Swivel | | | |
| SPC030R | 150 | 145 | 260 |



CACHE WALL FIXED SPOUT

| | A |
|---------------|-----|
| SPC201 | 155 |
| SPC202 | 180 |
| SPC203 | 205 |



Bright Chrome standard finish, with options of Satin Chrome and coloured powder coating

Fixed, Restricted Swivel (approx. 120°) or **Full Swivel** options available to suit your application

Aeration is supplied standard; Laminar flow is available on request

Range of attachments designed to match our outlets are also available for a complete solution

Customised spouts can be tailored to meet your specific requirements*

Designed to be **easy to install**, low maintenance and durable

Enware's outlets can be combined with Enware tapware for a choice of **WELS** 6 star (4lpm), 5 star (6lpm) or 3 star (8lpm) water efficiency ratings. 3 Star is supplied standard unless otherwise specified. Non-flow controlled is available for where WELS is not required.



Enware Tapware is manufactured to the exacting **WaterMark** standard AS/NZS3718




* Limitations and additional costs may apply

classic outlet range

CLASSIC BENCH MOUNTED BASIN | BATH | SINK

CLASSIC HOB CURVED BASIN SPOUT


| | A | B | C |
|----------------------------|-----|-----|-----|
| SP001 Fixed Outlet | 100 | 80 | 170 |
| SP002 Swivel Outlet | 100 | 100 | 195 |
| SP005 Swivel Outlet | 150 | 115 | 235 |



CLASSIC WALL MOUNTED BASIN | BATH | SINK


CLASSIC WALL STANDARD SWIVEL SPOUT

| | A | B | C |
|-------------------|-----|-----|-----|
| SP110 | 215 | 110 | 180 |
| SP111 | 265 | 150 | 220 |
| SP112 | 335 | 170 | 240 |
| Restricted Swivel | | | |
| SP110R | 215 | 110 | 180 |
| SP111R | 265 | 150 | 240 |




CLASSIC HOB STANDARD SWIVEL SPOUT

| | A | B | C |
|-------------------|-----|-----|-----|
| SP010 | 180 | 110 | 180 |
| SP011 | 230 | 150 | 220 |
| SP012 | 300 | 170 | 240 |
| Restricted Swivel | | | |
| SP010R | 180 | 110 | 180 |
| SP011R | 230 | 150 | 220 |




CLASSIC WALL CURVED SWIVEL SPOUT

| | A | B | C |
|-------------------|-----|-----|-----|
| SP120 | 185 | 140 | 260 |
| SP121 | 185 | 225 | 345 |
| SP126 | 235 | 125 | 265 |
| Restricted Swivel | | | |
| SP120R | 185 | 140 | 260 |
| SP121R | 185 | 225 | 345 |
| SP126R | 240 | 115 | 260 |




CLASSIC HOB CURVED SWIVEL SPOUT

| | A | B | C |
|-------------------|-----|-----|-----|
| SP020 | 150 | 140 | 260 |
| SP021 | 150 | 225 | 345 |
| SP026 | 200 | 125 | 260 |
| Restricted Swivel | | | |
| SP020R | 150 | 140 | 260 |
| SP021R | 150 | 225 | 345 |
| SP026R | 200 | 125 | 260 |




CLASSIC WALL SQUARE SWIVEL SPOUT

| | A | B | C |
|-------------------|-----|-----|-----|
| SP140 | 185 | 130 | 255 |
| Restricted Swivel | | | |
| SP140R | 185 | 130 | 255 |




CLASSIC HOB SQUARE SWIVEL SPOUT

| | A | B | C |
|-------------------|-----|-----|-----|
| SP040 | 150 | 130 | 255 |
| Restricted Swivel | | | |
| SP040R | 150 | 130 | 255 |




CLASSIC WALL ANGULAR SWIVEL SPOUT

| | A | B | C |
|-------------------|-----|-----|-----|
| SP130 | 190 | 135 | 255 |
| Restricted Swivel | | | |
| SP130R | 190 | 135 | 255 |




CLASSIC HOB ANGULAR SWIVEL SPOUT

| | A | B | C |
|-------------------|-----|-----|-----|
| SP030 | 155 | 135 | 255 |
| Restricted Swivel | | | |
| SP030R | 155 | 135 | 255 |



CLASSIC WALL FIXED SPOUT


| | A | B |
|--------------|-----|----|
| SP201 | 150 | 65 |
| SP202 | 175 | 65 |
| SP203 | 200 | 65 |
| SP204 | 250 | 65 |



classic range - no base


ANGULAR OUTLET WITH AERATOR

| | A | B |
|--------------|-----|-----|
| FS180 | 180 | 65 |
| FS181 | 230 | 105 |
| FS182 | 300 | 125 |




CURVED OUTLET WITH AERATOR

| | A | B |
|--------------|-----|-----|
| FS184 | 150 | 100 |
| FS185 | 200 | 135 |




LONG REACH SWIVEL ARM WITH 1/2" BSP THREAD

| | A | B |
|--------------|-----|----|
| FS188 | 150 | 55 |
| FS187 | 300 | 75 |




SWIVEL REACH SPOUT TYPE M

| | A | B |
|--------------|-----|-----|
| FS708 | 350 | 185 |




ADJUSTABLE WALL BRACKET


| | A |
|--------------|--------|
| FS070 | 50-155 |



LAUNDRY OUTLET RANGE HEAVY DUTY



SP257
Hob Folding Laundry Arm



SP256
Wall Folding Laundry Arm

CLASSIC ATTACHMENTS

| | |
|--------------|---------------------------------|
| SP301 | Aerator No.1 |
| SP325 | Fixed Spray No.5 |
| SP329 | Ablution Attachment No.8 |
| SP303 | Anti-vandal Aerator No.7 |
| SP310 | Tube Nozzle No.2 |
| SP320 | Hose Adaptor No.3 15mm 1/2" BSB |
| SP321 | Hose Adaptor No.3 20mm 3/4" BSB |

CACHE ATTACHMENTS

| | |
|----------------|--------------|
| SPC301 | Aerator |
| SP301LF | Laminar Flow |

ENWARE SHOWER RANGE

Includes anti-vandal options, hand held showers and trigger activated shampoo sprays ideal for demanding commercial applications; from hospitals and hotels, to sporting facilities and public areas.



TAPWARE TO MATCH EVERY ENWARE OUTLET

Enware outlets perform perfectly with our huge range of quality tapware. Engineered to the world's highest standards with outstanding durability and design appeal for every application. Contact us for details of our complete range.

ENWARE
installing confidence